

M2423

Peta's Kitchen



NOTICE OF ASSEMBLE

Tips for Assembling Wood



Find the corresponding block number, use a knife in the connection point gently press, you can take out the wood.



Use a knife to smooth out the burr.




Or use sandpaper to smooth out the burr

Testing on LED function


Be sure to test the LED lights before making the lighting, note that the LED white wire to the negative, gray wire to the positive reference to the following figure operation test.

1




DO NOT contact the LED wire end direct to the battery cell.

2




Use the provide battery holder. Make sue the correct polarity.


How to assemble the battery holder



1.Material and tools needed:
- Battery holder, LED bulb,
tape, screw driver and 2 pieces
AAA size battery(not provided)




2.Use screw driver and
take the lid off from the
battery holder.



3.Insert the battery take
notes on the polarity.



4.Connect the red wire
to grey wire. Connect
the black wire to white
wire.



5.Wrap the exposed wire
with the tapes.



6.Place the box lid and
fastness with screw
driver.

Symbol description used



Pay attention to the direction of installation material
B stick to material A



Fold in half
according to
dotted line



fold double
edge to
center
dotted line



Fold four
sides to
the middle





Method for using glue:

- 1.After applying the glue, let it dry for a few seconds before pasting
2. Fix it slightly with your hands, and finally put it aside to dry;

Types of glue:

White latex:Used for adhering soft materials,such as wood and paper.
Alcoholic Glue:Used for adhering hard materials such as cloth,plastic, beads, wire,dust cover,etc.

Tips:When pasting the plane printing paper, a piece of waste bank card or telephone card can be used to wipe evenly after the glue is smeared on the wood board, and then the printing paper is pasted to squeeze out the air inside.

Bag A	 A01 MDF (color) 19x18.5x0.25cm (1 piece)	 A02 PVC (transparent) 7x7cm(1 piece)	 A03 Printing paper 14*14cm(3 sheets)	 A04 Instruction Manual	
Bag B	 Board B (color) 30x20x0.25cm(1 piece)		Bag C	 Board C (color) 30x20x0.25cm(1 piece)	
Bag E	 E01 flannel (White) 10x1.5cm(1 piece)	 E02 lace (White) 5.5cm(1 piece)	 E03 lace cloth (White) 7.5x7cm(1 piece)	 E04 paper rope (Beige) 30cm(3 Sticks)	 E05 Grass (Green) (1 tree)
 E08 flash film (transparent) 0.8x0.5cm(5 Pieces)	 E09 Plastic bead (transparent) 1x0.7cm(3 Pieces)	 E10 Plastic bead (red) (6 Pieces)	 E11 Plastic bead (orange color) (1 Piece)	 E12 Plastic bead (transparent) 0.8x0.8x0.6cm(1 Piece)	 E06 Plastic bead (transparent) 1.8x1.8x0.7cm(2 Pieces)
 F02 Iron wire (Green) 10x0.1cm(1 strip)	 F03 Iron wire (gold) 15x0.1cm(1 strip)	 F04 Iron beads (silver) 0.8x0.8cm(1 Piece)	 F05 Iron beads (silver) 1x1x1.15cm(1 Piece)	 F06 Iron beads (silver) 1x1x0.9cm(1 Piece)	Bag F
 F10 coffee cup (White) (1 Piece)	 F11 drawer handle (gold) (5 Pieces)	 F12 large pallet (gold) 1.3x1.3cm(1 Piece)	 F13 small tray (gold) 0.6x0.6x0.15cm(1 Piece)	 F14 fork (gold) (1 Piece)	 F07 Iron beads (silver) 0.6x0.6x0.4cm(1 Piece)
					 F08 Iron beads (silver) 0.7x0.7x0.4cm(1 Piece)
					 F09 Faucet (silver) 1.5cm(1 Piece)
					 F15 buttons (gold) 0.95x0.95x0.35cm (3 Pieces)
					 F16 Plastic bead (gold) 0.3x0.3cm(2 Pieces)
					 F17 Iron beads (silver) 0.8x0.8x1.4cm (1 Piece)

M2423 Materials List

unit:cm

(2/2)

Bag G



G01 LED lamp
(warm white)
50cm(2 Pieces)



G02
AAA battery box
(black)
(1 Piece)




G03 Matte
(black)
(1 Piece)



G04 Tape
(White)
(2 sheets)

1

Frame




B11(back)

2




front display

3




B08(back)

4

B08
front display

5




1 cm

6




Thread F16 into F03

7




Thread F16 into B11

8




B11(back)

9




10



Upgraded version (accessories need to be purchased separately)

H01
movement
(1 Piece)H02
Movement handle
(1 Piece)H03
Movement screws
(3 Pieces)

1



2



B09


3

B09
(back)

H02

H03

1




Pass G01 through E06 and B07

2




A01

3








A01















Fix the light cord as shown in the picture













shelves




cupboard



























stove






3



4




Dining table and chairs




1



2



3



4




5



Need to complete 2

6




Make A03-5 according to the previous method

7



8




9



10




11




Use tweezers to hold one end and roll it up

12







3



Fixed light line direction

Installation Of Battery Box

Disclaimer: This wire cannot be plugged into the output socket


- LED lights before use, should can test the light
- Can use two AAA batteries
- The positive and negative poles of the battery are aligned and the battery is installed
- Non-rechargeable batteries, cannot be charged
- Rechargeable batteries can only be charged under adult supervision
- Rechargeable batteries should be removed from the toy before charging
- Different types of batteries or old and new batteries cannot be mixed
- Batteries should be inserted with correct polarity
- Exhausted batteries should be removed from the toy
- The power terminal must not be short-circuited

1




Cut all wires to the same length

2




Peel off 1 cm of rubber from the heads of all wires

3



Connect light wires of the same color together

4



The black wire of the battery box and the white LED light wire, and the red wire and gray LED light wire of the battery box are connected together.

5



Wrap exposed wires with G04

6



Hide the battery box

7



Finally, turn on the switch and light up the LED light

8

Lighting effect



Installation of dust cover


Dust cover (Upgrade version accessories need to be purchased separately)




Z01 plexiglass
(transparent)
19*18.5*0.18cm
(1 Piece)




Z02 plexiglass
(transparent)
19*18*0.18cm
(2 Pieces)



Z03 plexiglass
(transparent)
18*18.1*0.18cm
(2 Pieces)




Stick Z01 and Z02 on Z03



stick five pieces of plexiglass dust cover as shown



Take out the plexiglass and tear off the kraft paper with text on each piece of plexiglass.




Torn side of the kraft paper faces inward, untorn side faces outward.



Use G04 to secure the acrylic joint (or substitute with transparent tape).




Each joint between the acrylic sheets needs to be secured with G04 (to prevent the sheets from falling).



Apply glue to the glass joint and scrape lightly for penetration (red line indicates the joint).




The junction of two pieces of plexiglass needs to be fixed with G04 (to prevent the plexiglass falling off)




Apply glue to the interface between the two glass pieces and gently scrape to ensure the glue penetrates the joint (red line indicates the acrylic joint).




The junction of two pieces of plexiglass needs to be fixed with G04 (to prevent the plexiglass falling off)



Apply glue to the interface between the two glass pieces and gently scrape to ensure the glue penetrates the joint (red line indicates the acrylic joint).



Leave it for 1 hour. After the glue dries out, tear off a layer of kraft paper outside the plexiglass.



After assembly is completed, the instructions should be kept